

## Corrigendum

## Corrigendum to “Cost-effective production process of scFv antibody fragments against Shiga toxin 2 via recombinant *E. coli*” [Curr. Res. Biotechnol. 10 (2025) 100310]


Marcela Guimarães<sup>a,\*</sup>, Daniela Luz<sup>b</sup>, Elisabeth de Fátima Pires Augusto<sup>a</sup>, Lucia Vieira<sup>c</sup>, Maricilia Silva Costa<sup>c</sup>, Roxane Maria Fontes Piazza<sup>b</sup>, José Geraldo da Cruz Pradella<sup>a,c,\*</sup>

<sup>a</sup> Universidade Federal de São Paulo – UNIFESP, Instituto de Ciência e Tecnologia, Brazil

<sup>b</sup> Instituto Butantan – Laboratório de Bacteriologia, Brazil

<sup>c</sup> Universidade do Vale do Paraíba – UNIVAP, Instituto de Pesquisa e Desenvolvimento – Laboratório de Bioprocessos, Brazil

The authors regret for the wrong graphics concerning Figure 2 and Figure 3 Found below the right Figure 2 and Figure 3.



**Fig. 2.** Indirect ELISA assessing the binding capacity of recombinant anti-Stx2 scFv to Shiga toxin 2. After incubation with purified scFv (40 µg/mL) and detection with anti-Flag-HRP, absorbance was measured at 492 nm. Data represent mean values ± standard deviation of duplicates. The curve shows a concentration dependent binding profile, confirming the specific interaction between the scFv and its target antigen.

**Fig. 3.** Evolution of dissolved O<sub>2</sub> concentration (dashed lines) and cell growth described by Ln(X/X<sub>0</sub>) (dotted lines) with time for bioreactor

DOI of original article: <https://doi.org/10.1016/j.crbiot.2025.100310>.


\* Corresponding author at: Universidade Federal de São Paulo – UNIFESP, Instituto de Ciência e Tecnologia, Brazil.

E-mail addresses: [marcela.guimaraes@unifesp.br](mailto:marcela.guimaraes@unifesp.br) (M. Guimarães), [roxane.piazza@butantan.gov.br](mailto:roxane.piazza@butantan.gov.br) (D. Luz), [elisabeth.augusto@unifesp.br](mailto:elisabeth.augusto@unifesp.br) (E. de Fátima Pires Augusto), [mcosta@univap.br](mailto:mcosta@univap.br) (M.S. Costa), [jpradella51@gmail.com](mailto:jpradella51@gmail.com) (J.G. da Cruz Pradella).

<https://doi.org/10.1016/j.crbiot.2025.100315>

Available online 17 July 2025

2590-2628/© 2025 The Author(s). Published by Elsevier B.V. All rights reserved, including those for text and data mining, AI training, and similar technologies.



batch production of scFv with recombinant *E. coli* in HDF defined culture media: (a) F1, *E. coli* Arctic Express; (b) F2, *E. coli* Arctic Express; (c) F3,

*E. coli* pLysS; and (d) F4, *E. coli* pLysS.

The authors would like to apologise for any inconvenience caused.